

16/09/2020 reference H3534

Arandee Ltd, P O Box 12448, Penrose, Auckland, 108
Rockfield Rd, Penrose Auckland. 09 579 5139, fax -7628.
Contact Sarah Rogers sarahr@arandee.co.nz

Global Proficiency Ltd for AsureQuality Ltd,
Unit 2/25 Mareno Rd, (P O Box 1335)
Tullamarine Vic 3043, Australia +61 3 9089
1151
Global Proficiency Ltd for AsureQuality Ltd,
Ruakura Research Centre, 10 Bisley Road,
Enderley, Hamilton 3241, P O Box 20474
Hamilton

Dear Sarah Rogers,

Please find attached your assessment report - for any questions or suggestions and the invoice and later the web listing should follow.

MAC Slay Surface Spray / Crack & Crevice Residual Insecticide

- Product description: pesticide, insecticide, residual (Permethrin, D-Phenothrin).
- Product use: for control of insect pests listed in instructions
- Status: cost \$340 + GST + GST for 2 hours. This may include variations on this product. May be mismatch with SDS formula & residual vs type A and let us know any changes

"Passed AsureQuality assessment for food/beverage/dairy factory non-contact per localised/ spot/ crack-crevice application H3534 with conditions. This assessment was prepared by Global Proficiency Ltd using HACCP principles to determine equivalence with food standards listed below. See <http://assessedproducts.asurequality.com>. This supports food Risk Management Programmes & other endorsements that may apply to this product include MPI regulated farm dairy approval, MPI dairy factory endorsement, MPI regulated non-dairy animal product approvals, EPA HSNO-OSH-environment approval (& previously AQIS).

Conditions:

- Used per instructions, legislation, & GMP with no food contact, away from exposed contact surfaces, packaging, & vents e.g. using localised / spot / crack / crevice application with any incidental contact surface residue removed - or used outside the area. Used in conjunction with an approved pest control programme where applicable
- The assessment is subject to notification of change and expires on 16/09/2025.
- The full report is attached for supplier review and verification. The assessment is activated by countersigning & inclusion of assessment precautions / assessment statement / MPI dairy precautions.

Prepared by Global Proficiency for AsureQuality Ltd by
Bob Hutchinson PhD SENIOR DEVELOPMENT SCIENTIST.

